=> d his ful

	(FILE	'USPAT' ENTERED AT 14:49:51 ON 08 MAR 1999)
L1 ADI		179 SEA CARBON (P) CHROMIUM (P) TUNGSTEN (P) MOLYBDENUM (P) IRON (P) VAN
		UM(P)(NIOBIUM OR COLUMBIUM)(P)COBALT(P)BORON(P)MANGANESE

L2 0 SEA DD HIS



7

775 SEA CARBON AND CHROMIUM AND TUNGSTEN AND MOLYBDENUM AND VA

NAD

IUM AND (NIOBIUM OR COLUMBIUM) AND COBALT AND BORON AND MA

NGA

NESE AND IRON

191 SEA CARBON(P) CHROMIUM(P) TUNGSTEN(P) MOLYBDENUM(P) VANADIUM(P)
)(C

OLUMBIUM OR NIOBIUM)(P) COBALT(P) BORON(P) BORON(P) MANGANESE

L3

1 SEA L2 AND SUBMERG?(P)(ZINC OR ALUMINUM)

FILE USPAT

*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
*								W	E	L	С	0	М	E		Т	0		Т	Н	E										*
*					U.	. :	s.		P	Α	T	E	N	\mathbf{T}		Т	E	Х	Т		F	I	L	E							*
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

=> d 12 cit 97

97. 4,560,408, Dec. 24, 1985, Method of using chromium-nickel-manganeseiron alloy with austenitic structure in sulphurous environment at high temperature; Per H. Wilhelmsson, 420/46, 47, 48, 584.1, 585, 586, 586.1 [IMAGE AVAILABLE]

=> d 12 cit 49

49. 5,077,006, Dec. 31, 1991, Heat resistant alloys; John H. Culling, 420/584.1, 40, 53, 430, 431, 443, 451, 453, 454, 580, 581, 583, 586 [IMAGE AVAILABLE]

=> d 12 cit 114

114. 4,435,226, Mar. 6, 1984, Wear resistant cast iron alloy with spheroidal graphite separation and manufacturing method therefor; Hans J. Neuhauser, et al., 148/545, 321, 324, 330, 332 [IMAGE AVAILABLE]

=> d 12 cit 106

106. 4,487,630, Dec. 11, 1984, Wear-resistant stainless steel; Paul Crook, et al., 420/36; 75/10.19, 10.22, 238; 420/11, 12, 38, 452, 453, 585 [IMAGE AVAILABLE]